






# LED PROFILE GLOW12 DOWN A1C 2000 RAW ALU.






Spackle in



Architectural

	<ul style="list-style-type: none"><li>• for finishing suspended ceilings</li><li>• a gentle glow of light on the wall</li><li>• easy and aesthetically pleasing finish to the edges</li><li>• profile for finishing of plasterboards with a minimum thickness of 12,5 mm</li></ul>	<p> CE</p> <p> EU industrial designs</p> <p> Made in Poland</p>	 <p>Buy product</p>
---	--	--	--





## Basic Informations

EAN: 5901597236689  
Index: K7000200  
Material: aluminium  
Color: raw aluminium  
Length [mm]: 2000  
Weigh [kg]: 0.382  
Country of origin: PL

Measurement unit: qty  
Product packaging dimensions [mm]: 2000 x 35,2 x 28,6  
Bulk packing [qty]: 40  
Master packaging type: Bulk  
Product with gross packaging weight [kg]: 15.28

## AVAILABLE VARIANTS

1000 mm, 2000 mm, 3000 mm, 4050 mm

## Matching elements

## DIFFUSERS







**diffuser C click 20m reel  
opal /pack**  
index: 76360038S



**diffuser A1 slide 2000  
opal**  
index: J6000938



**diffuser A1 slide 2000  
frosted**  
index: J6000939



**diffuser A1 slide 2000  
transparent**  
index: J6000916

---

## END CAPS



**end cap GLOW12 grey  
[20pcs]**  
index: K7999922