










# LED PROFILE FLOOR12 K/U 1000 ANOD.



	<ul style="list-style-type: none"> <li>• recessed floor profile</li> <li>• high abrasion resistance, resistant diffuser</li> <li>• possibility of waterproof</li> <li>• with high humidity, please use waterproof tape outline</li> <li>• the perfect solution for application in thicker floor materials</li> </ul>	 CE  EU industrial designs  Made in Poland	 Buy product
---	--	---	--





## Basic Informations

EAN: 5901597206309  
Index: B1010020  
Material: aluminium  
Color: anodized  
Length [mm]: 1000  
Weight [kg]: 0.17  
Country of origin: PL

Measurement unit: qty  
Product packaging dimensions [mm]: 1000 x 15,8 x 13,7  
Bulk packing [qty]: 40  
Master packaging type: Bulk  
Product with gross packaging weight [kg]: 6.8

## AVAILABLE VARIANTS

1000 mm, 2000 mm, 3000 mm, 4050 mm

## Matching elements

## DIFFUSERS



**TOPMET LIGHT KŁOSOWICZ WIŚNIEWSKI sp. z o.o.**  
Ostrowska 354 | 61-312 Poznań | POLAND  
tel.: +48 61 872 75 00  
info@topmet.pl

pdf card generation date: 10.03.2025



## MOUNTINGS



---

## END CAPS



---

## OTHER

